

## United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/965,987	09/27/2001	Byron G. Scott	H0001705	5157
128 7	7590 10/26/2004		EXAMINER	
HONEYWELL INTERNATIONAL INC.			VORTMAN, ANATOLY	
101 COLUMB P O BOX 2245	·— · · · ·		ART UNIT	PAPER NUMBER
MORRISTOW	N, NJ 07962-2245	2835		
			DATE MAILED: 10/26/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Response to Rule 312 Communication	09/965,987	SCOTT ET AL.				
Response to Nuie 312 Communication	Examiner	Art Unit				
	Anatoly Vortman	2835				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address –						
. ☑ The amendment filed on 29 September 2004 under 37 CFR 1.312 has been considered, and has been:						
a) ☐ entered.						
b) antered as directed to matters of form not affecting the scope of the invention.						
c) disapproved because the amendment was filed after the payment of the issue fee.  Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.						
d) 🗵 disapproved. See explanation below.						
e) entered in part. See explanation below.		;				
the title of the invention as appears on the Notice of Allowance (i.e. "Thermal Switch Containing Temperature Sensor") is correct (see Oath and Declaration of the instant application). As such, no correction as requested by the Applicant is necessary. The Examiner has notified the Applicant's representative Mr. Charles J. Rupnick, Reg. No. 43, 068 on 10/21/04 during telephone communication, that amendment will not be entered.						
		÷				
	•					
	•					
A. Val		Anatoly Vortman Primary Examiner Art Unit: 2835				